

Solução Única

Veeder-Root

EMR3 DataLink
Wireless System


O que é o EMR3 DataLink?

O EMR3 DataLink sistema é um produto desenvolvido como parte da parceria tecnológica entre o Total Medidor Services Inc. e Veeder -Root

O objetivo do software é ajudar as empresas a manter o controle das operações de entrega e dados em um formato flexível simples e fácil de usar.


O EMR3 DataLink Software permite aos usuários personalizar o software de acordo com suas necessidades específicas. Existem dois modos utilizados com o software :

- O modo manual permite ao usuário fazer upload de dados de fornecimento de acordo com sua agenda pessoal
- O modo automático permite que todos os dados de entrega para carregar automaticamente .




Visão geral do sistema


- Rede sem fio
- Os dados são armazenados no computador os clientes em seus escritórios ou locais
- Permite o acesso Web ao visualizar a DataLink de qualquer lugar
- Sem custos transacionais
- Sem Mensalidades
- DataLink comunica com caminhões , carros , racks de carga , terminais e sistemas de inventário



Solução DataLink Enterprise



Wireless Data Capture



O usuário que vai acessar o software remotamente deve abrir um navegador e digite o seguinte na barra de endereços : http:// [endereço IP] : HTTP Número da porta (por exemplo http://192.168.1.101:83) e clique no botão go . A seção Página inicial é informação fornecida para o usuário do DataLink Software EMR3 .

The screenshot shows a Windows Internet Explorer browser window titled "EMR3 DataLink - Windows Internet Explorer". The address bar contains "http://71.16.165.30:83/". The browser interface includes a search bar with "Google" and "bing" options, and a navigation menu with links for News, Entertainment, Video, Sports, Money, Autos, Lifestyle, Health, and A-List. The page content is divided into three main sections:

- Left Sidebar (Yellow background):** Contains the text "EMR3 DataLink TMS6000 Solutions" and a list of navigation links: [Home Page](#), [Configuration Page](#), [TLS Page](#), [Device Page](#), [Device Summary](#), [Last 25 Transactions](#), [Edit Transactions](#), [Reports Page](#), [Diagnostics Page](#), and [Contact Us](#).
- Central Diagram:** A network diagram illustrating the data collection process. It shows a central computer labeled "EMR3 DataLink" connected to a "Modem". The modem is connected to a "Truck" equipped with "Meter #1", "Meter #2", and an "IB Box". The truck is also connected to a "Modem". The diagram also shows "Remote Users" (laptops) connected to the central computer. Data is shown being transferred from the truck's meters to the central computer and then to a database represented by three cylinders.
- Right Advertisement:** A vertical advertisement for VEEDER-ROOT. It features the VEEDER-ROOT logo at the top, followed by the text "The NEW Standard In Electronic Meter Registers". Below this is an image of an EMR3 electronic meter register displaying "1181" on its screen. The EMR3 logo is at the bottom of the advertisement.

EMR3 DataLink - Windows Internet Explorer

http://71.16.165.30:83/

File Edit View Favorites Tools Help

Google Search Bing News Entertainment Video Sports Money Autos Lifestyle Health A-List 79°F

EMR3 DataLink

EMR3 DataLink TMS6000 Solutions

VEEDER-ROOT

Login Page

Password:

Login

TMS6000 Automation Software, Copyright © 2005-2008 V1.2.271, 9/14/2009 10:25:00 AM <http://192.168.12.210:83>

Tela de Login Seguro

O Administrador do Sistema tem acesso a todos os controles do sistema. Os usuários têm direitos limitados e sem capacidade para fazer alterações.

start Microsoft PowerPoint ... EMR3 DataLink - Win... Internet 100% 12:11 PM



- Caixas vermelhas indicam que o EMR3 está fora de alcance sem fio ou OFF.
- Caixas de prata indicam que o EMR3 está dentro do alcance sem fio e comunicação .
- Pesquisas de DataLink automaticamente a cada 10 segundos

EMR3 DataLink - Windows Internet Explorer

http://71.16.165.30:83/

EMR3 DataLink TMS6000 Solutions


VEEDER-ROOT

Device Summary

Device	Polled Date/Time	M1 Total	M1 Volume	M2 Total	M2 Volume
Fuel Meters 1 - 2	5/3/2010 12:08:48 PM	4261.2	31.0	64893.4	132.1
Fuel Meters 3 - 4	5/3/2010 12:07:48 PM	47006.3	9.1	374333.6	0.0
Loading Arm 5	5/3/2010 12:12:01 PM	734534.1	2500.0	0.0	0.0
Loading Arms 1 - 2	5/3/2010 12:02:52 PM	188054.0	300.0	1865104.9	4670.9
Loading Arms 11 - 12	5/3/2010 12:11:28 PM	0.0	400.0	414626.8	300.0
Loading Arms 13 - 14	5/3/2010 11:47:50 AM	0.0	4500.0	1261314.0	4000.0
Loading Arms 3 - 4	5/3/2010 12:13:08 PM	1837774.1	2025.2	1690263.5	3000.0
Loading Arms 7 - 8	5/3/2010 12:12:31 PM	1592895.1	150.4	496562.4	800.0
Loading Arms 9 - 10	5/3/2010 12:10:52 PM	3171787.5	150.0	1414218.4	1000.5
Truck 102	4/30/2010 3:45:46 PM	0.0	0.0	564672.4	0.0
Truck 103	5/3/2010 6:27:02 AM	558848.0	0.0	387206.5	0.0
Truck 106	5/3/2010 7:41:48 AM	530412.5	0.0	333584.4	0.0

This page will automatically refresh every 10 seconds

Caminhão tipo Comboio



Bases de Carregamento



Sistema de medição em tanques verticais/horizontais





EMR3 - PIN CONTROLE DE ACESSO (até 50 usuários)

EMR3 DataLink TMS6000 Solutions

VEEDER-ROOT

PIN Page

User	PIN	User	PIN	User	PIN	User	PIN	User	PIN
<input checked="" type="checkbox"/> 1	239216	<input checked="" type="checkbox"/> 11	096909	<input checked="" type="checkbox"/> 21	589912	<input checked="" type="checkbox"/> 31	071219	<input type="checkbox"/> 41	000000
<input checked="" type="checkbox"/> 2	566349	<input checked="" type="checkbox"/> 12	121085	<input checked="" type="checkbox"/> 22	364669	<input checked="" type="checkbox"/> 32	082973	<input type="checkbox"/> 42	000000
<input checked="" type="checkbox"/> 3	621002	<input checked="" type="checkbox"/> 13	092552	<input checked="" type="checkbox"/> 23	051067	<input checked="" type="checkbox"/> 33	011974	<input type="checkbox"/> 43	000000
<input type="checkbox"/> 4	000000	<input checked="" type="checkbox"/> 14	450086	<input checked="" type="checkbox"/> 24	012963	<input checked="" type="checkbox"/> 34	442000	<input type="checkbox"/> 44	000000
<input checked="" type="checkbox"/> 5	742700	<input checked="" type="checkbox"/> 15	630408	<input checked="" type="checkbox"/> 25	082161	<input type="checkbox"/> 35	000000	<input type="checkbox"/> 45	000000
<input checked="" type="checkbox"/> 6	218006	<input checked="" type="checkbox"/> 16	123123	<input checked="" type="checkbox"/> 26	531404	<input type="checkbox"/> 36	000000	<input type="checkbox"/> 46	000000
<input checked="" type="checkbox"/> 7	029603	<input checked="" type="checkbox"/> 17	314227	<input checked="" type="checkbox"/> 27	111674	<input type="checkbox"/> 37	000000	<input type="checkbox"/> 47	000000
<input checked="" type="checkbox"/> 8	053266	<input checked="" type="checkbox"/> 18	251064	<input checked="" type="checkbox"/> 28	112158	<input type="checkbox"/> 38	000000	<input type="checkbox"/> 48	000000
<input checked="" type="checkbox"/> 9	622377	<input checked="" type="checkbox"/> 19	165623	<input checked="" type="checkbox"/> 29	012879	<input type="checkbox"/> 39	000000	<input type="checkbox"/> 49	000000
<input checked="" type="checkbox"/> 10	072945	<input checked="" type="checkbox"/> 20	123456	<input checked="" type="checkbox"/> 30	649712	<input type="checkbox"/> 40	000000	<input type="checkbox"/> 50	000000

Save Cancel

TMS6000 Automation Software, Copyright © 2005-2008 V1.3.315, 7/15/2010 3:00:20 PM <http://192.168.12.210:83>

start | Calendar - Micros... | Re: Next steps?? ... | Untitled - Appoint... | EMR3 DataLink - ... | Microsoft PowerP... | Desktop | 2:16 PM

Os bilhetes são salvos automaticamente na ordem do ocorrido com base na hora / data e número de modem / ingressos.

DataLink permite a edição mínima para campos em células brancas

Edit Transactions

Address	11045
Device	Loading Arms 1 & 2
Meter	2
Ticket	20607
Type	0
Start Time	9/14/2009 11:55:47 AM
End Time	9/14/2009 12:09:12 PM
Truck ID	<input type="text" value="103"/>
Driver ID	<input type="text" value="3451"/>
Product	DIESEL HS #2
Gross	1500
Start Total	1010207.0
End Total	1011707.0

EMR3 DataLink - Windows Internet Explorer

http://71.16.165.30:83/

EMR3 DataLink

EMR3 DataLink TMS6000 Solutions

[Home Page](#)
[Configuration Page](#)
[TLS Page](#)
[Device Page](#)
[Device Summary](#)
[Last 25 Transactions](#)
[Edit Transactions](#)
[Reports Page](#)
[Diagnostics Page](#)

Edit Transactions

Ticket	Type	Device	End Time	Truck ID	Driver ID	Product	Gross
11045-20607	0	Loading Arms 1 & 2	9/14/2009 12:09:12 PM	103	3451	DIESEL HS #2	1500
11039-10739	0	Loading Arms 11 & 12	9/14/2009 12:01:20 PM	122	4288	UNLEAD REG #11	2000
11160-10217	1	Truck 106	9/14/2009 11:58:36 AM	TANK 1	7427	LOW SULFUR	156.2
11160-10218	255	Truck 106	9/14/2009 11:58:36 AM			LOW SULFUR	156.2
11042-20452	0	Loading Arms 3 & 4	9/14/2009 11:57:33 AM	103	3451	UNL + NO ETH #4	3000
11044-10812	0	Loading Arms 13 & 14	9/14/2009 11:47:47 AM	122	4288	DIESEL HS #13	1150
11160-10216	0	Truck 106	9/14/2009 11:31:22 AM	TANK 1	1190	LOW SULFUR	838.6
11044-10811	0	Loading Arms 13 & 14	9/14/2009 10:51:59 AM	108	3275	DIESEL HS #13	1400
11160-10215	0	Truck 106	9/14/2009 10:49:47 AM	TANK 1	1190	LOW SULFUR	250.1
11160-20112	0	Truck 106	9/14/2009 10:44:55 AM	TANK 1	1190	UNLEADED	250
11039-20273	0	Loading Arms 11 & 12	9/14/2009 10:43:24 AM	108	3275	UNLEAD PLUS #12	700.2


- [Home Page](#)
- [Configuration Page](#)
- [TLS Page](#)
- [Device Page](#)
- [Device Summary](#)
- [Last 25 Transactions](#)
- [Edit Transactions](#)
- [Reports Page](#)
- [Diagnostics Page](#)
- [Contact Us](#)
- [TMS6000 Solutions](#)

Diagnostics Page

Version:	1.2.271, 9/14/2009 10:25:00 AM
Modem	Modem Online
Comm Error:	No Errors
<input type="button" value="Send to Tech Support"/>	

Suporte on-line de diagnóstico técnico

Controle de Estoque



Controle de Inventário

EMR3 DataLink - Windows Internet Explorer

http://71.16.165.30:83/

EMR3 DataLink

EMR3 DataLink TMS6000 Solutions **VEEDER-ROOT**

[Home Page](#)
[Configuration Page](#)
[TLS Page](#)
[Device Page](#)
[Device Summary](#)
[Last 25 Transactions](#)
[Edit Transactions](#)
[Reports Page](#)
[Diagnostics Page](#)
[Contact Us](#)
[TMS6000 Solutions](#)

TLS Page

<p>1 LOW SULFUR DIES</p> <p>2673 (83%)</p> <p>12602</p>	<p>2 UNL. PLUS 10* E</p> <p>7446 (63%)</p> <p>12771</p>	<p>3 LOW SULFUR DIES</p> <p>4290 (79%)</p> <p>15927</p>	<p>4 UNLEADED 10* ET</p> <p>13188 (35%)</p> <p>7029</p>	<p>5 T-17 SUPER</p> <p>4332 (68%)</p> <p>9250</p>	<p>6 T-18 FUEL HIGH</p> <p>2107 (84%)</p> <p>11475</p>	<p>7 T-19 FUEL HIGH</p> <p>4244 (80%)</p> <p>16476</p>	<p>8 T-20 PLUS NON E</p> <p>8970 (57%)</p> <p>11750</p>	<p>9 T-21 FUEL HIGH</p> <p>4690 (77%)</p> <p>14030</p>	<p>10 T-22 PLUS NON E</p> <p>7601 (63%)</p> <p>13119</p>
<p>11 T-5 ATF</p> <p>1790 (35%)</p> <p>954</p>	<p>12 T-6 FINA 46</p> <p>669 (76%)</p> <p>2073</p>	<p>13 T-7 FINA 68</p> <p>1735 (37%)</p> <p>1009</p>	<p>14 T-8 FINA 15W40</p> <p>521 (81%)</p> <p>2223</p>	<p>15 T-11 BULLDOG 15</p> <p>1546 (48%)</p> <p>1428</p>	<p>16 T-12 FINA THF</p> <p>945 (68%)</p> <p>2029</p>	<p>17 T-13 CHEVRON 10</p> <p>977 (67%)</p> <p>1997</p>	<p>18 T-14 AW100</p> <p>1242 (58%)</p> <p>1732</p>	<p>19 T-15 RPM 40W</p> <p>642 (78%)</p> <p>2332</p>	<p>21 T-23 RANDO AW32</p> <p>1978 (33%)</p> <p>998</p>
<p>22 T-9 RPM 15W40</p> <p>1744 (70%)</p> <p>4187</p>	<p>23 T-10 CHEVRON AW</p> <p>2218 (62%)</p> <p>3583</p>	<p>24 T-24 FINA 40W</p> <p>1989 (33%)</p> <p>985</p>	<p>25 T-25 FINA 5W20</p> <p>1345 (55%)</p> <p>1629</p>	<p>26 T-26 DELO LE</p> <p>1665 (44%)</p> <p>1309</p>					

Done

Internet 100%

start Stock prices - NASDA... EMR3 DataLink - Win... 11:07 AM

- [Home Page](#)
- [Configuration Page](#)
- [TLS Page](#)
- [Device Page](#)
- [Device Summary](#)
- [Last 25 Transactions](#)
- [Edit Transactions](#)
- [Reports Page](#)
- [Diagnostics Page](#)
- [Contact Us](#)
- [TMS6000 Solutions](#)

TLS Page

1 (LOW SULFUR DIES) <input type="button" value="Delete"/>	
2877 (81%)	Percentage: 81.17%
12398	Level: 90.782
	Gross: 12,398
	Net: 12,264
	Ullage: 2,877
	Temperature: 84.00
	Water Level: 0.000
	Water Volume: 0
	Date/Time: 2009/09/14 13:05:42

<< Previous All Next >>

[XML](#)

**Alarmes por e-mail, relatórios remotos ,
operações de exportação automaticamente.**

Modo Terminal : criar qualquer relatório / vista alarmes

The screenshot shows the EMR3 DataLink web application in Terminal Mode. The interface includes a navigation menu on the left, a main content area with a terminal window, and a taskbar at the bottom.

Terminal Mode

[TLS Page](#) [Delivery Page](#) [Terminal Mode](#)

Command:

Log history

Command: I20500

```
I20500
SEP 17, 2010 03:44 PM

EVANS OIL COMPANY
3170 S. HORSESHOE DR
NAPLES, FL. 34104
239-262-4124

TANK STATUS REPORT

TANK   PRODUCT                STATUS
  1    LOW SULFUR DIESEL     NORMAL
  2    UNL. PLUS 10% ETH     NORMAL
  3    LOW SULFUR DIESEL     NORMAL
  4    UNLEADED 10% ETH     NORMAL
  5    T-17 SUPER            NORMAL
  6    T-18 FUEL HIGH SULF   NORMAL
  7    T-19 FUEL HIGH SULF   NORMAL
  8    T-20 PLUS NON ETH     NORMAL
  9    T-21 FUEL HIGH SULF   NORMAL
 10    T-22 PLUS NON ETH     NORMAL
 11    T-5 ATF                NORMAL
```

Done

Internet 100%

start | Inbox - Microsoft ... | Re: Next steps?? - ... | Re: EMR3 Sales A... | Re: Next steps?? - ... | File Transfer Serv... | EMR3 DataLink - ... | Desktop | 2:46 PM

EMR3 DataLink - Windows Internet Explorer

http://71.16.165.30/83/

File Edit View Favorites Tools Help

Google Search

bing News Entertainment Video Sports Money Autos Lifestyle Health A-List

EMR3 DataLink

EMR3 DataLink TMS6000 Solutions



- [Home Page](#)
- [Confirmation Page](#)
- [TLS Page](#)
- [Device Page](#)
- [Device Summary](#)
- [Last 25 Transactions](#)
- [Edit Transactions](#)
- [Reports Page](#)
- [Diagnostics Page](#)
- [Contact Us](#)
- [TMS6000 Solutions](#)

TMS6000 Automation Software, Copyright © 2005-2008 V1.2.271, 9/14/2009 10:25:00 AM <http://192.168.12.210:83>

Reports Page

Tank Inventory

EMR3 DataLink - Windows Internet Explorer

http://71.16.165.30/83/

File Edit View Favorites Tools Help


Google Search

bing News Entertainment Video Sports Money Autos Lifestyle Health A-List

EMR3 DataLink

Tank Inventory
Printed on 09/14/2009 13:01

Tank	Name	Level	Capacity	Volume	Net	Ullage	Temp	Date/Time
1	LOW SULFUR DIES	91.238	15,275.0	12,461.0	12,327.0	2,814.0	83.9	09/14/2009 12:52
2	UNL PLUS 10* E	76.156	20,217.0	12,776.0	12,579.0	7,441.0	82.0	09/14/2009 12:52
3	LOW SULFUR DIES	90.578	20,217.0	15,557.0	15,393.0	4,660.0	83.4	09/14/2009 12:52
4	UNLEADED 10* ET	45.881	20,217.0	6,653.0	6,545.0	13,562.0	83.4	09/14/2009 12:52
5	T-17 SUPER	261.610	15,382.0	9,253.0	9,103.0	4,329.0	83.1	09/14/2009 12:52
6	T-18 FUEL HIGH	292.390	15,382.0	11,097.0	10,972.0	2,485.0	84.9	09/14/2009 12:52
7	T-19 FUEL HIGH	295.630	20,720.0	15,952.0	15,776.0	4,768.0	84.4	09/14/2009 12:52
8	T-20 PLUS NON E	292.482	20,720.0	15,782.0	15,518.0	4,938.0	83.8	09/14/2009 12:52
9	T-21 FUEL HIGH	296.465	20,720.0	15,997.0	15,821.0	4,723.0	84.4	09/14/2009 12:52
10	T-22 PLUS NON E	326.680	20,720.0	17,627.0	17,328.0	3,093.0	84.2	09/14/2009 12:52
11	T-5 ATF	36.400	2,744.0	954.0	943.0	1,790.0	84.1	09/14/2009 12:59
12	T-6 FINA 46	67.907	2,744.0	2,075.0	2,052.0	669.0	83.2	09/14/2009 12:59
13	T-7 FINA 68	37.954	2,744.0	1,009.0	998.0	1,735.0	82.8	09/14/2009 12:59
14	T-8 FINA 15W40	72.498	2,744.0	2,223.0	2,198.0	521.0	83.2	09/14/2009 12:59
15	T-11 BULLDOG 15	109.744	2,974.0	1,428.0	1,413.0	1,546.0	82.9	09/14/2009 12:59
16	T-14 FINA THE	147.420	2,974.0	2,030.0	2,009.0	944.0	81.9	09/14/2009 12:59
17	T-13 CHEVRON 10	145.056	2,974.0	1,997.0	1,977.0	977.0	82.4	09/14/2009 12:59
18	T-14 AW100	125.820	2,974.0	1,732.0	1,715.0	1,242.0	81.7	09/14/2009 12:59
19	T-15 RPM 40W	169.368	2,974.0	2,332.0	2,309.0	642.0	81.5	09/14/2009 12:45
21	T-23 RANDO AW32	72.368	2,974.0	996.0	985.0	1,978.0	83.5	09/14/2009 12:45
22	T-9 RPM 15W40	152.178	5,901.0	4,157.0	4,117.0	1,744.0	81.5	09/14/2009 12:45
23	T-10 CHEVRON AW	134.814	5,901.0	3,683.0	3,646.0	2,218.0	82.2	09/14/2009 12:45
24	T-24 FINA 40W	71.568	2,974.0	983.0	975.0	1,989.0	83.3	09/14/2009 12:45
25	T-25 FINA SW20	120.770	2,974.0	1,663.0	1,645.0	1,311.0	83.1	09/14/2009 12:45
26	T-26 DELOLE	95.122	2,974.0	1,310.0	1,296.0	1,664.0	82.0	09/14/2009 12:45
				161,731.0	159,640.0	73,783.0		



Done

start EMR3 DataLink - Win... Microsoft PowerPoint ...

Internet 100%

12:04 PM

Reports Page

Please select one of the following reports

----- Refresh -----

- Meter Ticket
- Report
- Truck
- Product
- DEVSUM
- PRDSUM
- FL1SUM
- FL2SUM
- FL3SUM
- Tank Inventory

Preview

Export

Cancel

Delivery Report

Specify the date / time range:

Export: Record Style (*.rec)

Start: Record Style (*.rec)

End: Tab-Separated (*.tst)

Unit: Text (*.txt)

Product: Data Interchange Format (*.DIF)

Tank ID: Comma-separated values (*.CSV)

Rich Text Format (*.rtf)

Word for Windows (*.doc)

Excel 2.1 (*.xls)

Excel 3.0 (*.xls)

Excel 4.0 (*.xls)

Excel 5.0 (*.xls)

Lotus 1-2-3 (*.wk1)

Lotus 1-2-3 (*.wk3)

Lotus 1-2-3 (*.wk5)

HTML 3.0 Draft Standard (*.html)

HTML 3.0 Explorer 2.0 (*.html)

HTML 3.0 Netscape 2.0 (*.html)

A página Relatórios permite ao usuário visualizar ou Exportar qualquer um dos seguintes relatórios:

- Medidor Ticket
- Relatório de entrega
- Relatório Caminhão de entrega
- Relatório de entrega do produto
- Campo # 1 Relatório de entrega (apresentado como Tanque ID Relatório de entrega)
- Campo # 2 Relatório de entrega
- Campo # 3 Relatório de entrega para Campo # 9 Relatório de entrega

Delivery Report

Specify the date / time range:

Start: 4/4/2005 12:00:00 AM

End: 4/4/2005 9:27:38 AM

Unit:

Product:

Tank ID:

Use today's date/time.

Use previous 24 hours.

Use previous work week (Sun-Sat).

Relatórios Instantâneos

EMR3 DataLink - Windows Internet Explorer

http://71.16.165.30:83/

File Edit View Favorites Tools Help

Google Search Share Sidewiki Check Translate AutoFill Sign In

LEXMARK Print Now: Normal Black and White Text Only Picnik Preview Schedule

Norton Norton Safe Search Search Cards & Log-ins

EMR3 DataLink

Device
05/03/2010 00:00-> 05/03/2010 12:15: 05/03/2010 12:15

Device	Meter	Ticket	Type	End Time	Truck ID	Driver ID	Product	Gross	Start Total	End Total
Fuel Meters 1 - 2										
	1	10218	0	2010-05-03 10:09	BLUEWATER	7427	GAS 89 OCT #2	31.0	4,230.2	4,261.2
	2	20607	0	2010-05-03 09:02	GULFSHORE	7427	DSL OFF ROAD #1	40.0	64,721.3	64,761.3
	2	20608	0	2010-05-03 09:45	CITY EXC	7427	DSL OFF ROAD #1	132.1	64,761.3	64,893.4
								172.1		
								203.1		
Fuel Meters 3 - 4										
	1	11379	0	2010-05-03 10:21	BLUEWATER	7427	DIESEL ULS #3	70.1	46,927.1	46,997.2
	1	11380	0	2010-05-03 12:06	406	7111	DIESEL ULS #3	9.1	46,997.2	47,006.3
	2	26560	0	2010-05-03 03:05	318	8575	DIESEL ULS #4	79.2 69.7	374,010.9	374,080.6
	2	26561	0	2010-05-03 05:33	123	4663	DIESEL ULS #4	45.4	374,080.6	374,126.0
	2	26562	0	2010-05-03 07:43	317	8157	DIESEL ULS #4	54.0	374,126.0	374,180.0
	2	26563	0	2010-05-03 07:50	106	1190	DIESEL ULS #4	40.0	374,180.0	374,220.0
	2	26564	0	2010-05-03 08:17	316	1962	DIESEL ULS #4	46.6	374,220.0	374,266.6
	2	26565	0	2010-05-03 12:08	122	4288	DIESEL ULS #4	67.0	374,266.6	374,333.6
								322.7		
								401.9		

Done

Internet 100%

start File Transfer Serv... EMR3 DataLink - ... Inbox - Microsoft ... Microsoft PowerP... Document1 - Micr... Desktop 11:25 AM

Personalize a sua aplicação

EMR3 DataLink - Windows Internet Explorer

http://71.16.165.30:83/

File Edit View Favorites Tools Help

Google Search Bing News Entertainment Video Sports Money Autos Lifestyle Health A-List 79°F

EMR3 DataLink

EMR3 DataLink TMS6000 Solutions

VEEDER-ROOT

Configuration Page

[Settings](#) [Caption](#) [Export](#) [Registration](#)

Modem:	<input type="text" value="Address"/>
Truck:	<input type="text" value="Device"/>
Head:	<input type="text" value="Meter"/>
Ticket:	<input type="text" value="Ticket"/>
Index:	<input type="text" value="Type"/>
Product:	<input type="text" value="Product"/>
Field #1:	<input type="text" value="Truck ID"/>
Field #2:	<input type="text" value="Driver ID"/>
Field #3:	<input type="text"/>
Field #4:	<input type="text"/>
Field #5:	<input type="text"/>
Field #6:	<input type="text"/>
Field #7:	<input type="text"/>
Field #8:	<input type="text"/>

Configure sua página de visualização

The screenshot shows a Windows Internet Explorer browser window displaying the EMR3 DataLink configuration page. The browser's address bar shows the URL <http://71.16.165.30/83/>. The page title is "EMR3 DataLink TMS6000 Solutions" and the VEEDER-ROOT logo is visible in the top right corner. A yellow sidebar on the left contains navigation links: Home Page, Configuration Page (highlighted), TLS Page, Device Page, Device Summary, Last 25 Transactions, Edit Transactions, Reports Page, Diagnostics Page, Contact Us, and TMS6000 Solutions. The main content area is titled "Configuration Page" and contains a form with the following fields and options:

- Settings** | [Caption](#) | [Export](#) | [Registration](#)
- Location Name:
- Language:
- Launch with Windows
- HTTP Port:
- Password:
- To access the web page from another computer enter the following in your web browser:
<http://192.168.12.210:83>
- Modem:
- Comm Port:
- Automatically upload transactions from EMR
- Synchronize date/time with host DataLink.
- IB Box Head
- TLS:
- TLS Modem:
- TLS Alarm:
- TLS Email:
- Meter Ticket Printer:

The Windows taskbar at the bottom shows the Start button, open applications (Microsoft PowerPoint, EMR3 DataLink - Win...), and the system tray with the time 12:13 PM.

Exportações XML e arquivos CSV

The screenshot shows a web browser window titled "EMR3 DataLink - Windows Internet Explorer" with the address bar showing "http://71.16.165.30:83/". The browser interface includes a search bar with "Google" and "bing" options, and a navigation menu with links for News, Entertainment, Video, Sports, Money, Autos, Lifestyle, Health, and A-List. The page content features a yellow sidebar on the left with navigation links: Home Page, Configuration Page, TLS Page, Device Page, Device Summary, Last 25 Transactions, Edit Transactions, Reports Page, Diagnostics Page, Contact Us, and TMS6000 Solutions. The main content area is titled "Configuration Page" and contains a "Settings" section with the following options:

- Export TLS to XML
- Export to XML
- Export to CSV (Path: C:\Documents and Settings\Fuel\Desktop\EMR3DataLink_12\export.csv)
- Export tickets automatically
- Include column header
- FTP Server IP
- Username
- Password
- Email
- Export Defaults: Custom
- Modem:
- Truck:
- Head:
- Ticket:
- Index:
- Product:

Usos potenciais para o EMR3

- Terminais e skids de transbordo, rastreamento de carga
- OBF-reabastecedores e / ou tanques fixos
- Controle de estoque
- locais de estoque (Para ter acesso a bilhetes rapidamente)
- IFDS (Para ter acesso a bilhetes rapidamente)
- ligação tanque de armazenamento opcional (controle de estoque)
- Elimine perdas, ausências, bilhetes de combustível indevidamente escritos no local.
- Precisão e informações rastreáveis imediata.

A grande vantagem é que os dados são transmitidos imediatamente (a cada 10 segundos). Os dados podem ser convertidos para uma fatura (com uma estimativa de carga) rapidamente .